Regulatory Peptides, 22 (1988) 380–381
Elsevier

Author index

Axelson, J., Ekelund, M., Håkanson. R. and Sundler, F.,
Gastrin and the vagus interact in the trophic control of the rat oxyntic mucosa, 237

Bhalla, V.K., see Guo, Y.-S., 361
Bloom, S.R., see Natori, S., 371
Bramnert, M.,
The effect of naloxone on blood pressure, heart rate, plasma catecholamines, renin activity and aldosterone following exercise in healthy males, 295
Brayden, J.E. and Conway, M.A.,
Neuropeptide Y and vasoactive intestinal polypeptide in cerebral arteries of the rat: relationships between innervation pattern and mechanical response, 253
Bussjaeger, L.J., see Hoang, H.D., 275

Carraway, R.E., Cochrane, D.E. and Mitra, S.P.,
Xenopsin-related peptide generated in avian gastric extracts, 303
Cawthorpe, D., Higgins, A. and Lukowiak, K.,
FMRFamide prevents habituation and potentiates the gill withdrawal reflex in the isolated gill preparation of *Aplysia*, 227
Cho, K.W., Seul, K.H., Ryu, H., Kim, S.H. and Koh, G.Y.,
Characteristics of distension-induced release of immunoreactive atrial natriuretic peptide in isolated perfused rabbit atria, 333
Cochrane, D.E., see Carraway, R.E., 303
Conway, M.A., see Brayden, J.E., 253

Dalsgaard, C.-J., see Hultgårdh-Nilsson, A., 267
De Graef, J., see Simoens, C., 285

Eberlein, G., see Eysselein, V.E., 205
Ekelund, M., see Axelson, J., 237
Ekman, R., see Keith, I.M., 315
Erlanson-Abertsson, C. and Larsson, A.,
The activation peptide of pancreatic procolipase decreases food intake in rats, 235
Eysselein, V.E., Eberlein, G., Ho, F.J., Goebell, H. and Reeve, J.R.,
An amino-terminal fragment of cholecystokinin-58 is present in the gut: evidence for a similar processing site of procholecystokinin in canine gut and brain, 205

Garner, A., see Gregory, H., 217
Goebell, H., see Eysselein, V.E., 205
Gregory, H., Thomas, C.E., Young, J.A., Willshire, I.R. and Garner, A.,
The contribution of the C-terminal undecapeptide sequence of urogastrone-epidermal growth factor to its biological action, 217
Guo, Y.-S., Bhalla, V.K. Thompson, J.C. and Singh, P.,
Effect of cyclic nucleotides on bombesin-evoked gastrin release from isolated perfused rat stomach, 361

Higgins, A., see Cawthorpe, D., 227
Hirota, M., see Shima, K., 245
Ho, F.J., see Eysselein, V.E., 205
Hoang, H.D., Wood, J.G., Bussjaeger, L.J. and Solomon, T.E., Interaction of neurotensin with caerulein of secretin on digestive tract growth in rats, 275
Houston, A.H.,
Insulin affects ionic composition of rainbow trout erythrocytes, 199
Hultgårdh-Nilsson, A., Nillson, J., Jonzon, B. and Dalsgaard, C.-J.,
Growth-inhibitory properties of vasoactive intestinal polypeptide, 267
Håkanson. R., see Axelson, J., 237

Iguchi, H., see Natori, S., 371

Jackson, I.M.D., see Wu, P., 347
Jonzon, B., see Hultgårdh-Nilsson, A., 267

Keith, I.M. and Ekman, R.,
Calcitonin gene-related peptide in hamster lung and its coexistence with serotonin: a chemical and immunocytochemical study, 315
Kim, S.H., see Cho, K.W., 333
Koh, G.Y., see Cho, K.W., 333
Kurose, S., see Natori, S., 371

Larsson, A., see Erlanson-Albertsson, C., 325
Lukowiak, K., see Cawthorpe, D., 227

Mitra, S.P., see Carraway, R.E., 303

Natori, S., Iguchi, H., Kurose, S., Bloom, S.R. and Nawate, H.,
Age-related change in 7B2 (a novel pituitary polypeptide) concentrations in human cerebrospinal fluid, 371

Regulatory Peptides, 22 (1988) 380–381
Elsevier

Author index

Axelson, J., Ekelund, M., Håkanson. R. and Sundler, F.,
Gastrin and the vagus interact in the trophic control of the rat oxyntic mucosa, 237

Bhalla, V.K., see Guo, Y.-S., 361
Bloom, S.R., see Natori, S., 371
Bramnert, M.,
The effect of naloxone on blood pressure, heart rate, plasma catecholamines, renin activity and aldosterone following exercise in healthy males, 295
Brayden, J.E. and Conway, M.A.,
Neuropeptide Y and vasoactive intestinal polypeptide in cerebral arteries of the rat: relationships between innervation pattern and mechanical response, 253
Bussjaeger, L.J., see Hoang, H.D., 275

Carraway, R.E., Cochrane, D.E. and Mitra, S.P.,
Xenopsin-related peptide generated in avian gastric extracts, 303
Cawthorpe, D., Higgins, A. and Lukowiak, K.,
FMRFamide prevents habituation and potentiates the gill withdrawal reflex in the isolated gill preparation of *Aplysia*, 227
Cho, K.W., Seul, K.H., Ryu, H., Kim, S.H. and Koh, G.Y.,
Characteristics of distension-induced release of immunoreactive atrial natriuretic peptide in isolated perfused rabbit atria, 333
Cochrane, D.E., see Carraway, R.E., 303
Conway, M.A., see Brayden, J.E., 253

Dalsgaard, C.-J., see Hultgårdh-Nilsson, A., 267
De Graef, J., see Simoens, C., 285

Eberlein, G., see Eysselein, V.E., 205
Ekelund, M., see Axelson, J., 237
Ekman, R., see Keith, I.M., 315
Erlanson-Abertsson, C. and Larsson, A.,
The activation peptide of pancreatic procolipase decreases food intake in rats, 235
Eysselein, V.E., Eberlein, G., Ho, F.J., Goebell, H. and Reeve, J.R.,
An amino-terminal fragment of cholecystokinin-58 is present in the gut: evidence for a similar processing site of procholecystokinin in canine gut and brain, 205

Garner, A., see Gregory, H., 217
Goebell, H., see Eysselein, V.E., 205
Gregory, H., Thomas, C.E., Young, J.A., Willshire, I.R. and Garner, A.,
The contribution of the C-terminal undecapeptide sequence of urogastrone-epidermal growth factor to its biological action, 217
Guo, Y.-S., Bhalla, V.K. Thompson, J.C. and Singh, P.,
Effect of cyclic nucleotides on bombesin-evoked gastrin release from isolated perfused rat stomach, 361

Higgins, A., see Cawthorpe, D., 227
Hirota, M., see Shima, K., 245
Ho, F.J., see Eysselein, V.E., 205
Hoang, H.D., Wood, J.G., Bussjaeger, L.J. and Solomon, T.E., Interaction of neurotensin with caerulein of secretin on digestive tract growth in rats, 275
Houston, A.H.,
Insulin affects ionic composition of rainbow trout erythrocytes, 199
Hultgårdh-Nilsson, A., Nillson, J., Jonzon, B. and Dalsgaard, C.-J.,
Growth-inhibitory properties of vasoactive intestinal polypeptide, 267
Håkanson. R., see Axelson, J., 237

Iguchi, H., see Natori, S., 371

Jackson, I.M.D., see Wu, P., 347
Jonzon, B., see Hultgårdh-Nilsson, A., 267

Keith, I.M. and Ekman, R.,
Calcitonin gene-related peptide in hamster lung and its coexistence with serotonin: a chemical and immunocytochemical study, 315
Kim, S.H., see Cho, K.W., 333
Koh, G.Y., see Cho, K.W., 333
Kurose, S., see Natori, S., 371

Larsson, A., see Erlanson-Albertsson, C., 325
Lukowiak, K., see Cawthorpe, D., 227

Mitra, S.P., see Carraway, R.E., 303

Natori, S., Iguchi, H., Kurose, S., Bloom, S.R. and Nawate, H.,
Age-related change in 7B2 (a novel pituitary polypeptide) concentrations in human cerebrospinal fluid, 371

Nawate, H., see Natori, S., 371
Nillson, J., see Hultgårdh-Nilsson, A., 267

Ohboshi, C., see Shima, K., 245

Reeve, J.R., see Eysselein, V.E., 205
Ryu, H., see Cho, K.W., 333

Seul, K.H., see Cho, K.W., 333
Shima, K., Hirota, M. and Ohboshi, C., Effect of glucagon-like peptide-1 on insulin secretion, 245
Simoens, C., Woussen-Colle, M.C. and De Graef, J.,
Effects of cimetidine, ranitidine and omeprazole on postprandial gastrin and somatostatin release in conscious dogs, 285
Singh, P., see Guo, Y.-S., 361
Solomon, T.E., see Hoang, H.D., 275
Sundler, F., see Axelson, J., 237

Thomas, C.E., see Gregory, H., 217
Thompson, J.C., see Guo, Y.-S., 361

Willshire, I.R., see Gregory, H., 217
Wood, J.G., see Hoang, H.D., 275
Woussen-Colle, M.C., see Simoens, C., 285
Wu, P. and Jackson, I.M.D.,
Identification, characterization and localization of thyrotropin-releasing hormone precursor peptides in perinatal rat pancreas, 347

Young, J.A., see Gregory, H., 217

Regulatory Peptides, 22 (1988) 382–384
Elsevier

Key word index

Acid secretion, Intragastric titration, Gastric emptying, 285
Activation peptide, Pancreas, Colipase, Obesity, Appetite, 325
Adaptive behavior, habituation, FMRFamide, Isolated *Aplysia* gill, 227
Age-related change, 7B2, Novel pituitary polypeptide, Cerebrospinal fluid, 371
cAMP, Bombesin, Gastrin, cGMP, Isolated rat stomach, 361
Appetite, Pancreas, Colipase, Activation peptide, Obesity, 325
Atrial distension, Atrial stretch, Atrial pressure, 333
Atrial pressure, Atrial distension, Atrial stretch, 333
Atrial stretch, Atrial distension, Atrial pressure, 333

7B2, Novel pituitary polypeptide, Cerebrospinal fluid, Age-related change, 371
Biosynthesis, Gastrointestinal hormone, Cholecystokinin, Pancreatic secretion, High-pressure liquid chromatography, Fast-protein liquid chromatography, Peptide purification, 205
Bombesin, Gastrin, cAMP, cGMP, Isolated rat stomach, 361

Calcitonin gene-related peptide, Peptide YY, Neuropeptide Y, Gastrin-releasing peptide, Hamster, Lung, 315
Cardiovascular effect, Endogenous opioid, 295
Cerebrospinal fluid, 7B2, Novel pituitary polypeptide, Age-related change, 371
Cholecystokinin, Gastrointestinal hormone, Pancreatic secretion, High-pressure liquid chromatography, Fast-protein liquid chromatography, Peptide purification, Biosynthesis, 205
Chromatography, Islet of Langerhans, Immunohistochemistry, Thyrotropin-releasing hormone, Peptide processing, Prohormone, High-pressure liquid chromatography, Radioimmunoassay, Immunofluorescence, 347
Colipase, Pancreas, Activation peptide, Obesity, Appetite, 325
Colon, Pancreas, Stomach, Small intestine, 275
Cyclic AMP, Vasoactive intestinal polypeptide, Smooth muscle cell, DNA synthesis, 267

Denervation, Peptide neurotransmitter, Tachyphylaxis, Neuromodulator, Membrane potential, 253
DNA synthesis, Vasoactive intestinal polypeptide, Smooth muscle cell, Cyclic AMP, 267

Electrolyte, Potassium, Nucleated red blood cell, Insulin, Rainbow trout, 199
Endogenous opioid, Cardiovascular effect, 295
Enteroinsular axis, Incretin, Intestinal hormone, Gastric inhibitory polypeptide, Glucagon-like peptide-1-(7–37), 245
Epidermal growth factor, Urogastrone, Gastric secretion, Mitogenesis, Peptide fragment, 217

Fast-protein liquid chromatography, Gastrointestinal hormone, Cholecystokinin, Pancreatic secretion, High-pressure liquid chromatography, Peptide purification, Biosynthesis, 205
FMRFamide, Adaptive behavior, habituation, Isolated *Aplysia* gill, 227

Gastric emptying, Intragastric titration, Acid secretion, 285
Gastric inhibitory polypeptide, Enteroinsular axis, Incretin, Intestinal hormone, Glucagon-like peptide-1-(7–37), 245
Gastric secretion, Urogastrone, Epidermal growth factor, Mitogenesis, Peptide fragment, 217.
Gastrin, Bombesin, cAMP, cGMP, Isolated rat stomach, 361
Gastrin, Vagus, Oxyntic mucosa, Histamine-storing endocrine cell (ECL cell), 237
Gastrin-releasing peptide, Calcitonin gene-related peptide, Peptide YY, Neuropeptide Y, Hamster, Lung, 315
Gastrointestinal hormone, Cholecystokinin, Pancreatic secretion, High-pressure liquid chromatography, Fast-protein liquid chromatography, Peptide purification, Biosynthesis, 205
Gastrointestinal, Vasoactive, Peptide, Histamine, 303
Glucagon-like peptide-1-(7–37), Enteroinsular axis, Incretin, Intestinal hormone, Gastric inhibitory polypeptide, 245
cGMP, Bombesin, Gastrin, cAMP, Isolated rat stomach, 361

Hamster, Calcitonin gene-related peptide, Peptide YY, Neuropeptide Y, Gastrin-releasing peptide, Lung, 315
High-pressure liquid chromatography, Islet of Langerhans, Immunohistochemistry, Thyrotropin-releasing hormone, Peptide processing, Prohormone, Chromatography, Radioimmunoassay, Immunofluorescence, 347
High-pressure liquid chromatography, Gastrointestinal hormone, Cholecystokinin, Pancreatic secretion, Fast-protein liquid chromatography, Peptide purification, Biosynthesis, 205
Histamine, Vasoactive, Peptide, Gastrointestinal, 303
Histamine-storing endocrine cell (ECL cell), Vagus, Gastrin, Oxyntic mucosa, 237

Immunofluorescence, Islet of Langerhans, Immunohistochemistry, Thyrotropin-releasing hormone, Peptide processing, Prohormone, Chromatography, High-pressure liquid chromatography, Radioimmunoassay, 347
Immunohistochemistry, Islet of Langerhans, Thyrotropin-releasing hormone, Peptide processing, Prohormone, Chromatography, High-pressure liquid chromatography, Radioimmunoassay, Immunofluorescence, 347
Incretin, Enteroinsular axis, Intestinal hormone, Gastric inhibitory polypeptide, Glucagon-like peptide-1-(7–37), 245
Insulin, Potassium, Nucleated red blood cell, Electrolyte, Rainbow trout, 199
Intestinal hormone, Enteroinsular axis, Incretin, Gastric inhibitory polypeptide, Glucagon-like peptide-1-(7–37), 245
Intragastric titration, Acid secretion, Gastric emptying, 285
Islet of Langerhans, Immunohistochemistry, Thyrotropin-releasing hormone, Peptide processing, Prohormone, Chromatography, High-pressure liquid chromatography, Radioimmunoassay, Immunofluorescence, 347
Isolated *Aplysia* gill, FMRFamide, Adaptive behavior, habituation, 227
Isolated rat stomach, Bombesin, Gastrin, cAMP, CGMP, 361

Lung, Calcitonin gene-related peptide, Peptide YY, Neuropeptide Y, Gastrin-releasing peptide, Hamster, 315

Membrane potential, Peptide neurotransmitter, Denervation, Tachyphylaxis, Neuromodulator, 253
Mitogenesis, Urogastrone, Epidermal growth factor, Gastric secretion, Peptide fragment, 217

Neuromodulator, Peptide neurotransmitter, Denervation, Tachyphylaxis, Membrane potential, 253
Neuropeptide Y, Calcitonin gene-related peptide, Peptide YY, Gastrin-releasing peptide, Hamster, Lung, 315
Novel pituitary polypeptide, 7B2, Cerebrospinal fluid, Age-related change, 371
Nucleated red blood cell, Potassium, Electrolyte, Insulin, Rainbow trout, 199

Obesity, Pancreas, Colipase, Activation peptide, Appetite, 325
Oxyntic mucosa, Vagus, Gastrin, Histamine-storing endocrine cell (ECL cell), 237

Pancreas, Colipase, Activation peptide, Obesity, Appetite, 325
Pancreas, Stomach, Small intestine, Colon, 275
Pancreatic secretion, Gastrointestinal hormone, Cholecystokinin, High-pressure liquid chromatography, Fast-protein liquid chromatography, Peptide purification, Biosynthesis, 205
Peptide, Vasoactive, Gastrointestinal, Histamine, 303
Peptide fragment, Urogastrone, Epidermal growth factor, Gastric secretion, Mitogenesis, 217
Peptide neurotransmitter, Denervation, Tachyphylaxis, Neuromodulator, Membrane potential, 253
Peptide processing, Islet of Langerhans, Immunohistochemistry, Thyrotropin-releasing hormone, Prohormone, Chromatography, High-pressure liquid chromatography, Radioimmunoassay, Immunofluorescence, 347
Peptide purification, Gastrointestinal hormone, Cholecystokinin, Pancreatic secretion, High-pressure liquid chromatography, Fast-protein liquid chromatography, Biosynthesis, 205
Peptide YY, Calcitonin gene-related peptide, Neuropeptide Y, Gastrin-releasing peptide, Hamster, Lung, 315
Potassium, Nucleated red blood cell, Electrolyte, Insulin, Rainbow trout, 199
Prohormone, Islet of Langerhans, Immunohistochemistry, Thyrotropin-releasing hormone, Peptide processing, Chromatography, High-

pressure liquid chromatography, Radioimmunoassay, Immunofluorescence, 347.
Radioimmunoassay, Islet of Langerhans, Immunohistochemistry, Thyrotropin-releasing hormone, Peptide processing, Prohormone, Chromatography, High pressure liquid chromatography, Immunofluorescence, 347
Rainbow trout, Potassium, Nucleated red blood cell, Electrolyte, Insulin, 199

Small intestine, Pancreas, Stomach, Colon, 275
Smooth muscle cell, Vasoactive intestinal polypeptide, DNA synthesis, Cyclic AMP, 267
Stomach, Pancreas, Small intestine, Colon, 275

Tachyphylaxis, Peptide neurotransmitter, Denervation, Neuromodulator, Membrane potential, 253
Thyrotropin-releasing hormone, Islet of Langerhans, Immunohistochemistry, Peptide processing, Prohormone, Chromatography, High-pressure liquid chromatography, Radioimmunoassay, Immunofluorescence, 347

Urogastrone, Epidermal growth factor, Gastric secretion, Mitogenesis, Peptide fragment, 217
Vagus, Gastrin, Oxyntic mucosa, Histamine-storing endocrine cell (ECL cell), 237
Vasoactive intestinal polypeptide, Smooth muscle cell, DNA synthesis, Cyclic AMP, 267
Vasoactive, Peptide, Gastrointestinal, Histamine, 303